Revision date: 05/08/2021 Revision: 21





SAFETY DATA SHEET **EASIDOSE MULTI-SURFACE CLEANER & DEGREASER**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name EASIDOSE MULTI-SURFACE CLEANER & DEGREASER

Internal identification ED2/1L Container size 3x1L

UFI UFI: C6A1-9001-V00N-KD60

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Cleenol Group Ltd Supplier

> Neville House **Beaumont Road** Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct via 111

(UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Eye Dam. 1 - H318

Environmental hazards Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms





Signal word Danger

Hazard statements H302 Harmful if swallowed.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Revision date: 05/08/2021 Revision: 21 Supersedes date: 08/07/2021

EASIDOSE MULTI-SURFACE CLEANER & DEGREASER

Precautionary statements P264 Wash contaminated skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Contains ALCOHOLS, C12-C14, ETHOXYLATED

Detergent labelling Contains BRONOPOL (INN)

Supplementary precautionary P310 Immediately call a POISON CENTER/ doctor.

statements P330 Rinse mouth.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ALCOHOLS, C12-C14, ETHOXYLATED 30-60%

CAS number: 68439-50-9 EC number: 500-213-3

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

2-(2-BUTOXYETHOXY)ETHANOL 5-10%

CAS number: 112-34-5 EC number: 203-961-6

Classification

Eye Irrit. 2 - H319

β-ALANINE, N-(2-CARBOXYETHYL)-, N-COCO ALKYL

5-10%

DERIV., DISODIUM SALT

Classification

Eye Irrit. 2 - H319

BRONOPOL (INN) <1%

CAS number: 52-51-7 EC number: 200-143-0

M factor (Acute) = 10

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 3 - H331 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400

Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical attention if any

discomfort continues.

Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Give a few small glasses of water

or milk to drink. Get medical attention.

Skin contact Rinse with water. Get medical attention if any discomfort continues.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe

or persist.

Protection of first aidersNo specific requirements are anticipated under normal conditions of use.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Considered to be a low inhalation hazard at normal workplace temperatures. May cause

respiratory irritation.

Ingestion Harmful if swallowed.

Skin contact No adverse effects known. Prolonged and frequent contact may cause redness and irritation.

Eye contact Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

None known.

media

5.2. Special hazards arising from the substance or mixture

Specific hazards Irritating gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Fight fire with normal precautions from a reasonable distance.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing will

provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes and prolonged skin contact. Do not touch or walk into spilled material.

Take care as floors and other surfaces may become slippery. Wash thoroughly after dealing

with a spillage.

6.2. Environmental precautions

Environmental precautions Harmful to aquatic life. Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with non-combustible, absorbent material. Dispose of waste via a licensed

waste disposal contractor. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with eyes and prolonged skin contact. For professional users only.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container in a cool, well-ventilated place.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³ Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

No specific ventilation requirements.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Personal protective equipment that provides appropriate eye and face

protection should be worn.

Hand protection No specific requirements are anticipated under normal conditions of use. For users with

sensitive skin, it is recommended that suitable protective gloves are worn. Wear protective

gloves made of the following material: Rubber (natural, latex). Nitrile rubber.

Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Respiratory protection No specific requirements are anticipated under normal conditions of use. Respiratory

protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Coloured liquid.

Colour Amber. Odour Detergent.

pН pH (concentrated solution): 9 - 10

Initial boiling point and range 100°C @ 760 mm Hg

Flash point Not applicable. Other flammability Not applicable. ~ 1.04 @ 20°C Relative density

Solubility(ies) Soluble in water.

Auto-ignition temperature Not applicable. **Explosive properties** Not applicable.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

45 - 47 Refractive index

Volatile organic compound This product contains a maximum VOC content of 10 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Revision date: 05/08/2021 Revision: 21 Supersedes date: 08/07/2021

EASIDOSE MULTI-SURFACE CLEANER & DEGREASER

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

ATE oral (mg/kg) 1,355.01

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Inhalation The product is considered to be a low hazard under normal conditions of use.

Ingestion Harmful if swallowed.

Skin contact Skin irritation should not occur when used as recommended. Prolonged and frequent contact

may cause redness and irritation.

Eye contact Causes serious eye damage.

SECTION 12: Ecological information

Ecotoxicity The product contains a substance which is harmful to aquatic organisms.

12.1. Toxicity

Toxicity Harmful to Aquatic Organisms

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Care should be taken when handling emptied containers that have not been thoroughly

cleaned or rinsed out.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Discharge of small quantities to the sewer with plenty of water

may be permitted.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents

(Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 05/08/2021

Revision 21

Supersedes date 08/07/2021

SDS number 21684

Hazard statements in full H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.