



Oven Cleaner

Country Range Oven Cleaner is made up of a powerful alkaline formula that effectively removes grease, oil and burnt on carbon deposits without the need for scrubbing or scraping.

- Powerful alkaline formula
- Effectively removes grease & oil
- 5 Litre



Quality Assurance:

This product is manufactured in the UK by The Country Range Group Ltd.

Produced under ISO 9001 Quality Management System & ISO 14001 Environmental Management System. This ensures our products and services are of the highest possible standard.

This product has not been tested on animals.


Contains:

Sodium Hydroxide, D-Glucopyranose, Oligomeric, C8-10 Glycosides

Biodegradability:

All surfactants used in Country Range products comply with the current European regulations concerning biodegradability & protection of the environment.

11/10/21



Scan Me

ORDER CODE(S):
CRG931 – 5ltr – 800-272-0100



SAFETY DATA SHEET OVEN CLEANER

Compiled in Accordance with EU and GB REACH and CLP Regulations.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name OVEN CLEANER

Product number 800-272-0100

Internal identification CRG931

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. Caustic oven cleaner.

Uses advised against Use only for intended applications. Not for direct oral consumption in concentrated form.

1.3. Details of the supplier of the safety data sheet

Supplier www.countryrange.co.uk
 GB: The Country Range Group Ltd, 4 & 5, Jupiter House, Mercury Rise, Altham, Lancashire,
 BB5 5BY.
 +44 (0) 845 209 3777

EU: The Country Range Group, PO Box 246, NEWTOWNABBEY, BT36 9EZ.
 +44 (0) 845 209 3777

Contact person hello@countryrange.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 845 209 3777 (Office Hours).

National emergency telephone number In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

Irish NPIC number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Met. Corr. 1 - H290

Health hazards Skin Corr. 1B - H314

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

OVEN CLEANER

Hazard statements	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.
Precautionary statements	P260 Do not breathe vapour/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P390 Absorb spillage to prevent material damage. P406 Store in a corrosion-resistant container with a resistant inner liner. P501 Dispose of contents/ container in accordance with national regulations.
Contains	SODIUM HYDROXIDE, D-GLUCOPYRANOSE, OLIGOMERIC, C8-10 GLYCOSIDES
Detergent labelling	< 5% non-ionic surfactants

OVEN CLEANER

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM HYDROXIDE	1-5%
CAS number: 1310-73-2	EC number: 215-185-5
	REACH registration number: 01-2119457892-27-XXXX
Classification	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
D-GLUCOPYRANOSE, OLIGOMERIC, C8-10 GLYCOSIDES	1-5%
CAS number: 68515-73-1	EC number: 500-220-1
	REACH registration number: 01-2119488530-36-XXXX
Classification	
Eye Dam. 1 - H318	
2-(2-BUTOXYETHOXY)ETHANOL	1-5%
CAS number: 112-34-5	EC number: 203-961-6
	REACH registration number: 01-2119475104-44-xxxx
Classification	
Eye Irrit. 2 - H319	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention immediately. Provide eyewash station and safety shower.
Inhalation	Remove affected person from source of contamination. Get medical attention immediately.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Chemical burns must be treated by a physician. Get medical attention immediately.
----------------------------	---

OVEN CLEANER

Inhalation	Severe irritation of nose and throat. May cause an asthma-like shortness of breath.
Ingestion	This product is corrosive. Small amounts may cause serious damage. May cause chemical burns in mouth, oesophagus and stomach.
Skin contact	May cause serious chemical burns to the skin.
Eye contact	This product is corrosive. A single exposure may cause the following adverse effects: Severe irritation, burning, tearing and blurred vision. Prolonged contact causes serious eye and tissue damage. Corneal damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. Remove contaminated clothing immediately and wash skin with soap and water.
-----------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Specific hazards	Contact with some metals eg. aluminium, zinc can produce flammable hydrogen gas. May generate heat.
-------------------------	---

5.3. Advice for firefighters

Protective actions during firefighting	Wear self-contained breathing apparatus with full facepiece.
Special protective equipment for firefighters	Move containers from fire area if it can be done without risk. No specific firefighting precautions applicable when small quantities are involved in the fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
For non-emergency personnel	Avoid contact with skin, eyes and clothing. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Wear self-contained breathing apparatus. PVC or rubber gloves are recommended.
For emergency responders	Keep unnecessary and unprotected personnel away from the spillage. For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions	Avoid release to the environment. Avoid discharge into drains or watercourses or onto the ground. Environmental Manager must be informed of all major spillages.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Small Spillages: Flush away spillage with plenty of water. Large Spillages: Stop leak if possible without risk. Use water spray to reduce vapours. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Do not allow runoff to sewer, waterway or ground. Collect and place in suitable waste disposal containers and seal securely. Collect in containers and seal securely. Remove containers and flush area with water.
--------------------------------	---

6.4. Reference to other sections

OVEN CLEANER

Reference to other sections See Section 1 for emergency contact information. For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with skin, eyes and clothing. Provide adequate ventilation. Do not mix with other chemicals or detergents. For personal protection, see Section 8. Avoid release to the environment.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a well-ventilated place. Store away from the following materials: Acids. Oxidising materials.

Storage class Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

2-(2-BUTOXYETHOXY)ETHANOL

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³

WEL = Workplace Exposure Limit.

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL Industry - Inhalation; Long term local effects: 1.0 mg/m³
Consumer - Inhalation; Long term local effects: 1.0 mg/m³

D-GLUCOPYRANOSE, OLIGOMERIC, C8-10 GLYCOSIDES (CAS: 68515-73-1)

DNEL Workers - Inhalation; Long term systemic effects: 420 mg/m³
Workers - Dermal; Long term systemic effects: 595000 mg/kg/day
General population - Inhalation; Long term systemic effects: 124 mg/m³
General population - Dermal; Long term systemic effects: 357000 mg/kg
General population - Oral; Long term systemic effects: 35.7 mg/kg

PNEC - Fresh water; 0.176 mg/l
- marine water; 0.0176 mg/l
- Intermittent release; 0.27 mg/l
- STP; 560 mg/l
- Sediment (Freshwater); 1.516 mg/l
- Sediment (Marinewater); 0.152 mg/l

2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

OVEN CLEANER

DNEL

Workers - Inhalation; Long term systemic effects: 67.5 mg/m³
 Workers - Inhalation; Long term local effects: 67.5 mg/m³
 Workers - Dermal; Long term systemic effects: 20 mg/kg/day
 General population - Inhalation; Long term systemic effects: 34 mg/m³
 General population - Inhalation; Long term local effects: 34 mg/m³
 General population - Inhalation; Short term local effects: 34 mg/m³
 General population - Inhalation; Short term local effects: 50.6 mg/m³
 General population - Dermal; Long term systemic effects: 10 mg/kg/day
 General population - Oral; Long term systemic effects: 1.25 mg/kg/day

PNEC

- Fresh water; 1 mg/l
 - marine water; 0.1 mg/l
 - Intermittent release; 3.9 mg/l
 - STP; 200 mg/l
 - Sediment (Freshwater); 4 mg/kg
 - Sediment (Marinewater); 0.4 mg/kg
 - Soil; 0.4 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Personal protection

This is not a Risk/COSHH assessment. Information contained in this document should be used to conduct a risk assessment.
 Information given in this document relates to the neat product as supplied. In use solutions are likely to have extreme pH values, thus use of gloves and eye protection is recommended where the assessment indicates a risk of exposure.

Eye/face protection

Chemical splash goggles or face shield. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Wear protective gloves. Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC). A break through time of >60 minutes is suggested. Gloves should be inspected regularly for damage.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Provide eyewash station and safety shower. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.

Respiratory protection

No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Particulate filter, type P2. Particulate filters should comply with European Standard EN143.

Environmental exposure controls

Avoid releasing into the environment. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid.

OVEN CLEANER

Colour	Colourless.
Odour	Unperfumed.
pH	pH (concentrated solution): >11.5
Melting point	Not applicable.
Initial boiling point and range	90 - 105 Degrees C.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Upper/lower flammability or explosive limits	The product is not flammable or explosive.
Vapour pressure	Not determined.
Vapour density	Not applicable.
Relative density	1.060-1.080 @ 20°C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not technically possible for a mixture.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	No information available.
Explosive properties	There are no chemical groups present in the product that are associated with explosive properties.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Reactions with the following materials may generate heat: Strong acids. In contact with some metals can generate hydrogen gas, which can form explosive mixtures with air. Avoid contact with the following materials: Aluminium. Zinc. Tin.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions The following materials may react violently with the product: Chlorohydrocarbons. Acids.

OVEN CLEANER

10.4. Conditions to avoid

Conditions to avoid Do not mix with other cleaning chemicals

10.5. Incompatible materials

Materials to avoid Acids. Ammonia. Chlorinated hydrocarbons. Aluminium. Tin. Zinc.

10.6. Hazardous decomposition products

Hazardous decomposition products Hydrogen. Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Sodium Hydroxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Corrosive to skin and eyes. Calculation method.

Extreme pH

≥ 11.5 Corrosive to skin.

Serious eye damage/irritation

Serious eye damage/irritation Corrosivity to eyes is assumed.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Does not contain any substances known to be mutagenic.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

General information

Corrosive to skin and eyes.

OVEN CLEANER

Inhalation	Spray/mists may cause respiratory tract irritation. A single exposure may cause the following adverse effects: Coughing. Difficulty in breathing. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	May cause burns in mucous membranes, throat, oesophagus and stomach.
Skin contact	May cause serious chemical burns to the skin. Repeated exposure may cause skin dryness or cracking.
Eye contact	Causes burns. A single exposure may cause the following adverse effects: Corneal damage. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

Toxicological information on ingredients.

SODIUM HYDROXIDE

Acute toxicity - oral

Acute toxicity oral (LD₅₀) 2,000.0
mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀) 2,000.1
mg/kg)

Species Rabbit

Skin corrosion/irritation

Skin corrosion/irritation Burning pain and severe corrosive skin damage.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Skin sensitisation

Skin sensitisation Not sensitising.

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product.

Ecological information on ingredients.

SODIUM HYDROXIDE

Ecotoxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

Acute aquatic toxicity

Acute toxicity - aquatic plants May cause long lasting harmful effects to aquatic life.

Acute toxicity - terrestrial Can cause damage to vegetation.

Ecological information on ingredients.

OVEN CLEANER

SODIUM HYDROXIDE

Acute aquatic toxicity

Acute toxicity - fish REACH dossier information.
LC₅₀, 96 hours: < 180 mg/l, Freshwater fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 40.4 mg/l, Freshwater invertebrates

Chronic aquatic toxicity

Chronic toxicity - fish early life stage Not available.

Chronic toxicity - aquatic invertebrates Not available.

12.2. Persistence and degradability

Persistence and degradability Degrades very slowly in nature.

Ecological information on ingredients.

SODIUM HYDROXIDE

Persistence and degradability The product contains inorganic substances which are not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient Not technically possible for a mixture.

Ecological information on ingredients.

SODIUM HYDROXIDE

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

SODIUM HYDROXIDE

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

SODIUM HYDROXIDE

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects None known.

OVEN CLEANER

Ecological information on ingredients.

SODIUM HYDROXIDE

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.
Disposal methods	The packaging must be empty (drop-free when inverted). Wash with plenty of water. Dispose of waste via a licensed waste disposal contractor. Reuse or recycle products wherever possible. Normal use solutions are expected to be flushed to sewers.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1824
UN No. (IMDG)	1824
UN No. (ICAO)	1824
UN No. (ADN)	1824

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (IMDG)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (ICAO)	SODIUM HYDROXIDE SOLUTION
Proper shipping name (ADN)	SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C5
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

Transport labels



14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II

OVEN CLEANER

ADN packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

IMDG Code segregation group 18. Alkalis

EmS F-A, S-B

ADR transport category 2

Emergency Action Code 2R

Hazard Identification Number (ADR/RID) 80

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	<p>GB (UK) CLP and REACH Regulations. The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). Control of Pollution (Special Waste) Regulations 1980 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits. The Hazardous Waste Regulations 2005.</p>
EU legislation	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. Commission Regulation (EU) No 2015/830 of 28 May 2015.</p>

OVEN CLEANER

Guidance

COSHH Essentials.
 Technical Guidance WM2: Hazardous Waste.
 ECHA Guidance on the Application of the CLP Criteria.
 ECHA Guidance on the compilation of safety data sheets.
 Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	EWC European Waste Catalogue STOT RE = Specific target organ toxicity-repeated exposure PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative. PNEC: Predicted No Effect Concentration. DNEL: Derived No Effect Level.
General information	Only trained personnel should use this material. EU UFI CODE DJ63-MD0J-VP7G-13EM
Revision comments	This is the first issue.
Revision date	10/08/2021
Revision	1
SDS number	22661
Hazard statements in full	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation.