



PRODUCT SPECIFICATION – GRANULAR SALT

Product Details

Product Name: Granular Salt
Description: Granular Salt packed into 10kg bags
Specification Code: 025S
Issue Number: 1

Company Details

Name: The Salt Company (Int.) Ltd
Address: Unit 1, Netherset Hey Industrial Estate, Netherset Hey Lane, Madeley, CW3 9PE
Telephone Number: 01782 751418
Email: sales@thesaltcompany.co.uk / qa@thesaltcompany.co.uk
Website: www.thesaltcompany.co.uk

Contact Details

Operations: Matthew Need – 01782 751418 – 07885465086 – matt@thesaltcompany.co.uk
Quality Assurance: 01782 751418 – qa@thesaltcompany.co.uk
Sales: Roy Reeves – 01782 751418 – 07801126612 – roy@thesaltcompany.co.uk
Sales: Karen Clarke – 01782 751418 – 07803415269 – kclarke@thesaltcompany.co.uk
Sales: Charlotte Evans – 01782 751418 – 07719546528 – charlotte.evans@thesaltcompany.co.uk
Out of Hours: Matthew Need – 01782 751418 – 07885465086 – matt@thesaltcompany.co.uk

Available Pack Sizes

10kg – 120 bags per pallet.

Storage

Storage Temperature: Ambient.
Delivery Temperature: Ambient.
Advice: The product should not be exposed to direct sunlight or strong odours. The packaging should not come into contact with floors or walls.

Intended Use

This product is sold with the intention of being used as a water softening product.

Suppliers

All raw materials used by The Salt Company (Int.) Ltd are supplied by approved suppliers.



Shelf Life

Salt has existed in underground deposits for millions of years without evidence of chemical or microbiological spoilage. Therefore, for all practical purposes the shelf life of salt is indefinite. However, we do advise a minimum of 12 months to enable customers to feed this data into their stock rotation systems. If salt is stored incorrectly (damp conditions) the packaging may deteriorate, and the salt could cake resulting in a loss of free-flow characteristics. Legislation on shelf life has exempted salt from the need to declare a best before date on packaging. Storage should be ambient to warm with a relative humidity less than 75%.

Analysis

Component	Unit	Specification	Typical
NaCl	%	99.5-99.9	99.8
Ca	%	0.01-0.08	0.04
Mg	%	0.01-0.05	0.03
SO4	%	0.04-0.25	0.12
Insoluble	%	0-0.03	0.01
H2O		0.05-0.15	0.1

All testing is carried out by the manufacturers according to their policies/procedures. All information and results are available upon request.

Microbiological Standards

Not applicable as salt is not microbiologically unstable.

Granular Size

Maximum 20% passes through a 0.8mm sieve.

Minimum 90% passes through a 2.8mm sieve.

Certificate of Analysis/Conformance

A certificate of conformance can be provided on delivery; however, this must be agreed by The Salt Company's Quality department and the customer's account manager, this request must be made before any orders are made.

Nutritional Information

Not applicable as salt has no calorific or nutritional values.

Allergen Information

Contains	Present in the Product (Yes/No)	Present on Site (Yes/No)
Milk, milk products and derivatives	No	No
Cereals containing gluten and derivatives	No	No
Crustaceans and derivatives	No	No
Eggs and derivatives	No	No
Soybeans and derivatives	No	No



Nuts and derivatives	No	No
Fish and derivatives	No	No
Peanuts and derivatives	No	No
Sesame and derivatives	No	No
Celery and derivatives	No	No
Mustard and derivatives	No	No
Lupin and derivatives	No	No
Molluscs and derivatives	No	No
Sulphites or Sulphur dioxide >10mg/kg as SO ₂	No	No

All products supplied by The Salt Company (Int.) Ltd are free from Genetically Modified Organisms.

Suitability Information

Suitable for	Yes/No	Comments
Vegetarians	Yes	Natural product
Ovo-Lacto Vegetarians	Yes	Natural product
Vegans	Yes	Natural product containing no animal by products
Lactose Intolerant	Yes	Does not contain lactose
Kosher	Yes	Suitable for a Kosher diet
Halal	Yes	Suitable for a Halal diet
Coeliacs	Yes	Free from gluten
Organic	No	Currently not certified

Metal Detection

Each individual drum is passed through a metal detector that is tested at the start and end of each shift as well as hourly during the production shift. Records can be made available upon request.

Food Safety

The manufacturer and packer of this product ensures all food safety legislation is adhered to.

Legislation

All products supplied by The Salt Company (Int.) Ltd comply with all relevant UK and EU and legislation relating to food safety, hygiene, labelling and allergens.

Hazard Identification

- Inhalation:** Very high concentrations of salt dust may result in inflammation of the mucus membranes of the respiratory tract.
- Skin Contact:** Dry salt and concentrated solutions can cause withdrawal of fluid from the skin and may, on prolonged contact, produce irritation.
- Eye Contact:** Salt and Salt solutions are not toxic to the eye but concentrations much above that of tears cause a stinging sensation.



Ingestion: Acute and chronic toxic effects can result from the ingestion of excessive amounts of either salt or brine. Salt should not be used as an emetic to induce vomiting. High concentrations produce inflammatory reactions in the gastrointestinal tract and can cause vomiting, diarrhoea, convulsions and collapse. The ingestion of hypertonic solutions can cause fatal body and fluid balance particularly in the young and elderly. Less than 1 tbsp of salt may severely poison, and infant can sometimes prove fatal.

First Aid Measures

Inhalation: Remove patient to fresh air. Keep warm and rest. Give drinks if desired.

Skin Contact: Wash with plenty of water.

Eye Contact: Irrigate with eyewash solution or water. If symptoms develop obtain medical help.

Ingestion: Vomiting will probably occur. Provided that the patient is conscious give plenty of liquid to drink. Obtain immediate medical attention especially if vomiting has not occurred.

Fire Fighting Measures

Flammability: Non-Flammable.

Extinguishants: Use agents suitable for type of surrounding fire (Dry Chemical, CO₂, Water Spray or Foam).

Special Hazards: Salt withstands temperatures up to its melting point without decomposing, but at very high temperatures, greater than 800°C approx., a vapour may be emitted which is particularly irritating to the eyes.

Protective Equipment: As applicable to the combustion products associated with the fire.

Accidental Release Measures

Personal Precautions: Avoid prolonged contact with the skin and inhalation of dust concentrations, otherwise normal good handling and housekeeping practice is adequate. No special protective clothing is required. An eyewash bottle with clean water should be available.

Spillages: Spillages should be swept up or may be safely water hosed to drain under normal circumstances.

Handling and Storage: Salt dust is non-flammable, but static electricity can be generated by pneumatic conveying, therefore pipes should be bonded and earthed, especially where a spark could prove hazardous. Due to its hygroscopic nature, salt should be

stored in a dry atmosphere and away from concentrated acids. Absorbs moisture if the relative humidity is >75%.

Dangerous Exposure: None specified.



Engineering Controls: Static electricity can be generated by pneumatic conveying. Pipes should be bonded and earthed, especially in environments where a spark could prove hazardous.

Personal Protection

Respiratory: If the process is such that salt dust is generated, a disposable facemask should be worn.

Hand Protection: Gloves to be worn if prolonged contact is anticipated. Dry salt and concentrated solutions can cause withdrawal of fluid from the skin.

Eye Protection: Wear chemical safety goggles in situations where contact with the eyes may occur.

Skin Protection: Skins should be washed to remove salt. Dry salt and concentrated solutions can cause withdrawal of fluid from the skin.

Other Protective Measures: An eyewash and hand washing facilities should be readily available.

Stability and Reactivity

Chemical Stability: Stable.

Conditions to Avoid: Reacts with strong sulphuric acid or nitric acid to give hydrogen chloride gas.

Material to Avoid: Under wet conditions can corrode many common metals, particularly iron, aluminium and zinc. Stainless steel and monel resist attack.

Hazard Decomposition Products: Trace amounts of hydrogen chloride gas may be evolved at temperatures in excess of 800°C. Contains no water of crystallisation. Does not react with alkalis at ordinary temperatures.

Toxicological Information

Eyes: Dust may be irritating.

Skin: Irritation after prolonged contact.

Ingestion: Salt is an essential constituent of the diet. It provides important body electrolytes and is the source of hydrochloric acid present in the gastric juices. The blood stream contains nearly 1% sodium chloride. In normal industrial use salt is non-hazardous. LD50 3000mg/kg Oral. Rat.

Inhalation: Dusts may be irritating.

Carcinogenicity: Not considered to be a carcinogen.

Mutagenicity: Not considered to be a mutagen.



Reproductive Effects:	None identified.
Disposal Considerations:	Disposal should be in accordance with local or national regulations.
Transport Information:	Material not included in the list of substances dangerous for supply. Material not included in the list of substances dangerous for conveyance by road.
Regulatory Information:	User: Not classified as hazardous to users.
EC Classification:	Under the Classification, Packaging and Labelling of Dangerous Substances Regulations, 1984, this material is not dangerous for supply or conveyance.

Specification Agreement

Please sign and date below and return to The Salt Company (Int.) Ltd by email or post. If no copy has been returned after two weeks, it will be assumed the details are agreed by the customer. The Salt Company (Int.) Ltd reserves the right to make amendments without prior notice unless agreed individually.

Signed on behalf of The Salt Company (Int.) Ltd

Name: Matthew Need
Signature: M. Need
Date: 14/02/2023

Signed on behalf of the Customer

Name:
Signature:
Date:
Company Name: